

Proc Acad Nat Sci Phila 1871.

RECEIVED

Lea
1871

QH 1
A 2 1871

C UNIONIDÆ.

DESCRIPTIONS OF TWENTY NEW SPECIES OF UNIONES OF THE UNITED STATES.

BY ISAAC LEA.

Unio Lawii.

Testa lœvi, obliqua, clavæformi, antice tumida, valde inæquilaterali, postice obtuse angulata; valvulis crassis, antice aliquanto crassioribus; natibus prominentibus, fere terminalibus; epidermide flava, radiis interruptis indutis; dentibus cardinalibus parviusculis, acuminatis crenulatisque; lateralibus sublongis, subcurvis lamellatisque; margarita argentea et iridescente.

Hab. Tennessee River, Tuscumbia, Alab., B. Pybas. Tenn. River, Dr. Edgar. Holston River, Miss A. E. Law and Prof. Cope.

Unio appressus.

Testa lœvi, triangulari, securiformi, valde inæquilaterali, antice rotunda, postice subangulata; valvulis crassiusculis, antice aliquanto crassioribus; natibus prominentibus; epidermide flava, radiis interruptis postice indutis; dentibus cardinalibus parviusculis, compressis crenulatisque; lateralibus sublongis, curvis lamellatisque; margarita argentea et aliquanto iridescente.

Hab. Tuscumbia, Alab., B. Pybas and J. G. Anthony. Holston River, Miss Law and C. M. Wheatley.

Unio validus.

Testa lœvi, triangulares, inflata, inæquilaterali, antice rotunda, postice obtuse angulata; valvulis crassis, antice aliquanto crassioribus; natibus prominentibus, ad apices undulatis; epidermide olivacea, valde radiata; dentibus cardinalibus crassis, compressis crenulatisque; lateralibus sublongis, crassis subcurvisque; margarita argentea et iridescente.

Hab. Duck River, Tenn., Dr. Powell. Clinch River, Pres. Estabrook. Holston River, Dr. Edgar and Miss Law.

Unio litus.

Testa lœvi, elliptica, subcompressa, inæquilaterali, antice rotunda, postice subbiangulata; valvulis subtenuibus, antice crassioribus; natibus prominulis; epidermide crocea, eradiata; dentibus cardinalibus parvis compressisque; lateralibus sublongis, sub-

1871.]

curvis lamellatisque; margarita salmonis colore tincta et elegantissime iridescente.

Hab. Cahaba River, Shelby Co., Alab., E. R. Schowalter, M.D.

Unio simulans.

Testa lœvi, obliqua, subcompressa, inæquilaterali, antice rotunda, postice obtuse angulata; valvulis crassiusculis, antice crassioribus; natibus prominulis; epidermide tenebroso-fusca, eradiata; dentibus cardinalibus parvis, compressis crenulatisque; margarita alba et iridescente.

Hab. Cahaba River, Shelby Co., Alab., E. R. Schowalter, M.D.

Unio Cahabensis.

Testa valde tuberculata, quadrata, compressa, subæquilaterali, antice rotunda, postice truncata; valvulis subcassis, antice crassioribus; natibus subprominentibus; epidermide crocea, eradiata; dentibus cardinalibus subgrandis, compressis crenulatisque; margarita salmonis colore tincta et elegantissime iridescente.

Hab. Cahaba River, Shelby Co., Alab., E. R. Schowalter, M.D.

Unio acuens.

Testa lœvi, triangulari, compressa, valde inæquilaterali, antice rotundata, postice subbiangulata; valvulis crassiusculis, antice crassioribus; natibus prominentibus; epidermide luteola, radiis interruptis; dentibus cardinalibus subcassis, subcompressis crenulatisque; lateralibus subcassis, brevis subrectisque; margarita alba et iridescente.

Hab. Holston River, near Concord, E. Tenn., Miss Law.

Unio erndus.

Testa lœvi, subrotunda, compressa, inæquilaterali, antice rotunda, postice obtuse angulata; valvulis subcassis, antice crassioribus; natibus prominentibus; epidermide rugosa, tenebroso-fusca, eradiata; dentibus cardinalibus subgrandibus, subcompressis crenulatisque; lateralibus crassis, subbrevis subeuryisque; margarita argentea et parum iridescente.

Hab. French Broad River, E. Tenn., Pres. Lindsley. Swamp Creek, Murray Co., Geo., Maj. Downie. Holston River, Miss Law and C. M. Wheatley.

Unio Tuscumbiensis.

Testa lœvi, triangulari, tumida, ad latere planulata, inæquilaterali, antice subtruncata, postice obtuse angulata; valvulis

[October 24,

NATURAL SCIENCES OF

crassis, antice crassioribus; natibus mide luteo-oliva, perradiata; dentil subcompressis crenulatisque; later rectisque; margarita argentea et iridescente.

Hab. Tuscumbia, Alab., L. B. Th. E. Tenn., Dr. Edgar.

Unio dispansus.

Testa lœvi, elliptica, subinflata, rotunda, postice obtuse angulata; crassioribus; natibus prominentibus, f. tenebroso-olivacea, perradiata; denti tuberculatis et in utroque valvulo longis, lamellatis subrectisque; m. iridescente.

Hab. East Tennessee, Dr. Edgar.

Unio Pealei.

Testa lœvi, rotunda, valde inflata laterali, antice et postice rotunda crassioribus; natibus elevatis, tum. luteo-olivacea, dilute perradiata; de culis, subconicis; lateralibus longis garita argentea et iridescente.

Hab. Topeka, Kansas, Chas. W. I. *Unio globatus.*

Testa lœvi, globosa, valde inaequante crassioribus; natibus valde infl. mide tenebroso-fusca; dentibus card. corrugatis; lateralibus curtis, crassis tisque; margarita argentea et iridescente.

Hab. Holston River, Dr. Edgar.

Bland.

Unio subglobatus.

Testa lœvi, suborbicularia, inæquilaterali, natibus tumidis, elevatis, incurvis; ad apices maculata et radiata; dentculis, compressis sulcatisque; lateralibus corrugatis; margarita argentea et iridescente.

Hab. Florence, Alab., B. Pybas. B. Lindsley. [1871.]

crassis, antice crassioribus; natibus elevatis, subretusis; epidermide luteo-oliva, perradiata; dentibus cardinalibus parviusculis, subcompressis crenulatisque; lateralibus curtis, subcrassis subrectisque; margarita argentea et iridescente.

Hab. Tuscumbia, Alab., L. B. Thornton, Esq. Holston River, E. Tenn., Dr. Edgar.

Unio dispansus.

Testa lævi, elliptica, subinflata, valde inæquilaterali, antice rotunda, postice obtuse angulata; valvulis crassiusculis, antice crassioribus; natibus prominulis, fere terminalibus; epidermide tenebroso-olivacea, perradiata; dentibus cardinalibus parviusculis, tuberculatis et in utroque valvulo duplicitibus; lateralibus prælongis, lamellatis subrectisque; margarita purpurea et valde iridescente.

Hab. East Tennessee, Dr. Edgar.

Unio Pealei.

Testa lævi, rotunda, valde inflata, subglobosa, valde inæquilaterali, antice et postice rotundata; valvulis crassis, antice crassioribus; natibus elevatis, tumidis, subretusis; epidermide luteo-olivacea, dilute perradiata; dentibus cardinalibus parviusculis, subconicis; lateralibus longis crassis subrectisque; margarita argentea et iridescente.

Hab. Topeka, Kansas, Chas. W. Peale.

Unio globatus.

Testa lævi, globosa, valde inæquilaterali; valvulis crassis, antice crassioribus; natibus valde inflatis, parum elevatis; epidermide tenebroso-fusca; dentibus cardinalibus percrassis et valde corrugatis; lateralibus curtis, crassis, parum curvatis corrugatisque; margarita argentea et iridescente.

Hab. Holston River, Dr. Edgar. Etowah River, Geo., Thos. Bland.

Unio subglobatus.

Testa lævi, suborbiculata, inæquilaterali; valvulis percrassis; natibus tumidis, elevatis, incurvis; epidermide tenebroso-fusca, ad apices maculata et radiata; dentibus cardinalibus parviusculis, compressis sulcatisque; lateralibus crassis, curvatis corrugatisque; margarita argentea et iridescente.

Hab. Florence, Alab., B. Pybas. Nashville, Tenn., Pres. J. B. Lindsley.
1871.]

ice
ice
ne-
ub-
ur-

mp
liss

qui-
ulic
24,

Unio recurvatus.

Testa lœvi, rotundata, valde inflata, valde inæquilaterali; antice rotundata, postice obtuse angulata; valvulis crassis, antice crassioribus; natibus valde prominentibus et recurvatis; epidermide fusca, eradiata; dentibus cardinalibus parvis, crassis sulcatisque; lateralibus percrassis, curtis, subcurvis corrugatisque; margarita argentea et iridescente.

Hab. Tenn. River, J. G. Anthony. Holston River, E. Tenn., Miss Law.

Unio obuncus.

Testa lœvi, triangulari, subinflata, ad basim arcuata, inæquilaterali, antice rotunda, postice obtuse angulata; valvulis crassis, antice crassioribus; natibus prominentibus; epidermide dilute oliva, perradiata; dentibus cardinalibus parvis corrugatisque; lateralibus crassis, lamellatis corrugatisque; margarita argentea et iridescente.

Hab. Tuscumbia, Alab. Holston River, E. Tenn., Miss Law.

Unio radiosus.

Testa lœvi, subtriangulari, subinflata, subequilaterali, antice rotundata, postice obtuse angulari; valvulis crassiusculis, antice parum crassioribus; natibus prominentibus; epidermide luteo-oliva, perradiata; dentibus cardinalibus parvis, compressis crenulatisque; lateralibus suberassis, lamellatis subrectisque; margarita alba et iridescente.

Hab. Holston River, E. Tenn., C. M. Wheatley and Miss Law.

Unio circumactus.

Testa lœvi, rotundata, ad apices inflata, ad basim compressa, inæquilaterali; valvulis crassis, antice crassioribus; natibus elevatis recurvatisque; epidermide vel rufo-fusca vel castanea, maculata et radiata; dentibus cardinalibus crassis, subcompressis sulcatisque; lateralibus percrassis, subcurvis corrugatisque; margarita argentea et valde iridescente.

Hab. Florence, Alab., Rev. G. White. Holston River, Miss Law.

Unio radiolus.

Testa lœvi, elliptica, subinflata, valde inæquilaterali, antice rotunda, postice obtuse angulata; valvulis crassiusculis; natibus prominulis, fere terminalibus; epidermide brunnea, valde radiata;

[October 24,

dentibus cardinalibus parvis, subcompressis longis, lamellatis subcurvisque.

Hab. Ogeechee River, Liberty Co.

Unio pattinoides.

Testa lœvi, obliqua, subcompressa rotundata, postice obtuse angulata crassioribus; natibus subprominent dermide luteo-brunnea, maculata; subcompressis corrugatisque; marg

Hab. Clinch River, Pres. Estes Edgar and Miss Law.

Unio Santeensis.

Testa lœvi, suboblonga, subinflata rotundata, postice obtuse biangu natibus prominulis, ad apices in tenebroso-fusca, nitida et valde rufa parvis, compressis et in utroque v longis subcurvisque; margarita ve tincta et iridescente.

Hab. Santee Canal, S. C., Dr. F Major J. Le Conte.

dentibus cardinalibus parvis, subcompressis crenulatisque; lateralibus longis, lamellatis subcurvisque; margarita alba et iridescente.

Hab. Ogeechee River, Liberty Co., Geo., Major John Le Conte.

Unio pattinoides.

Testa lævi, obliqua, subcompressa, valde inæquilaterali, antice rotundata, postice obtuse angulata; valvulis subcrassis, antice crassoribus; natibus subprominentibus, fere terminalibus; epidermide luteo-brunnea, maculata; dentibus cardinalibus parvis, subcompressis corrugatisque; margarita argentea et iridescente.

Hab. Clinch River, Pres. Estabrook. Holston River, Dr. Edgar and Miss Law.

Unio Santeensis.

Testa lævi, suboblonga, subinflata, valde inæquilaterali, antice rotundata, postice obtuse biangulata; valvulis crassiusculis; natibus prominulis, ad apices minute undulatis; epidermide tenebroso-fusca, nitida et valde radiata; dentibus cardinalibus parvis, compressis et in utroque valvulo duplicibus; lateralibus longis subcurvisque; margarita vel purpurea vel salmonis colore tincta et iridescente.

Hab. Santee Canal, S. C., Dr. Foreman. Oconee River, Geo., Major J. Le Conte.